

Date Shipment Needed: _____ Ship To: Patient Prescriber
 ► All the supplies including syringes and needles will be dispensed if needed.

CROHN'S DISEASE PEDIATRIC REFERRAL FORM

PATIENT INFORMATION

Patient Name: _____ DOB: _____ Sex: M F Other: _____ Weight: _____ lbs. kg.
 SSN: _____ Phone: _____ Allergies: _____
 Address: _____ City: _____ State: _____ Zip: _____
 Emergency Contact: _____ Phone: _____ **Additional Information Attached**

PRESCRIBER INFORMATION

Prescriber: _____ NPI: _____ DEA: _____ State Lic: _____
 Supervising Physician: _____ Practice Name: _____
 Address: _____ City: _____ State: _____ Zip: _____
 Phone: _____ Fax: _____ Key Office Contact: _____ Phone: _____

DIAGNOSIS INFORMATION / MEDICAL ASSESSMENT

Primary Diagnosis: (ICD-10 Code & Description) K50.00 K50.10 K50.80 K50.90 Crohn's Disease Other: _____
 • Has patient been treated *previously* for this condition? Yes No Is patient *currently* on therapy? Yes No Please list medication(s) and treatment duration: _____
 • Will patient stop taking the above medication(s) before starting the new medication? Yes No If yes, how long should patient wait before starting the new medication? _____
 • Other medications patient is currently taking including OTC medications with dosage and direction (or fax medication profile): _____
 • Has patient received a **Quatiferon gold, Tspot or PPD (tuberculosis) Skin Test?** Yes No Date: _____ Results: Negative Positive

INSURANCE INFORMATION

Please attach front and back of patient's insurance card (medical and prescription)

COPAY CARD ENROLLMENT

Please check if enrolling in copay card Copay ID: _____

PRESCRIPTION INFORMATION

EpiPen® 0.3 mg IM x 1, may repeat QTY: _____ 2 | Refills: _____
 EpiPen® JR 0.15 mg IM x 1, may repeat QTY: _____ 2 | Refills: _____
Hyrimoz® Pediatric Crohn's Starter Package CF (Ages 6-17)
 17 kg to < 40 kg: one 80 mg/0.8 mL and one 40 mg/0.4 mL NDC: 0074-0124-03 QTY: _____ | Refills: _____
 Inj. SQ 80 mg on **Day 1** (1 Syringe); then 40 mg on **Day 15** (1 Syringe); then Maintenance Dosing
 ≥ 40 kg: three 80 mg/0.8 mL Prefilled Syringes QTY: _____ | Refills: _____
 Inj. SQ 160 mg on **Day 1** (2 Syringes on Day 1); then 80 mg on **Day 15** (1 Syringe); then Maintenance Dosing
Hyrimoz® Pediatric Crohn's Maintenance Dose CF (Ages 6-17)
 17 kg to < 40 kg: 20 mg/0.2 mL Prefilled Syringe QTY: _____ | Refills: _____
 Inj. SQ 20 mg on **Day 29**; then every other week
 ≥ 40 kg: 40 mg/0.4 mL Prefilled Syringe NDC: 0074-0243-02 QTY: _____ | Refills: _____
 Inj. SQ 40 mg on **Day 29**; then every other week
 ≥ 40 kg: 40 mg/0.4 mL Prefilled Injectable Pen NDC: 0074-0554-02 QTY: _____ | Refills: _____
 Inj. SQ 40 mg on **Day 29**; then every other week
 Other: _____ QTY: _____ | Refills: _____

Prescriber's Signature: _____ DAW (Dispense as Written) **Date:** _____

Prescriber certifies that this referral form contains an original signature and is signed by the treating prescriber. **NO STAMPED SIGNATURES WILL BE ACCEPTED.** Where required by law, send electronic prescription or on official state prescription blank. In the event requested agent is not available through AcariaHealth, this prescription shall be forwarded to an eligible pharmacy.

IMPORTANT NOTICE: This message may contain privileged and confidential information and is intended only for the individual named. If you are not the named addressee, you should not disseminate, distribute or copy this fax. Please notify the sender immediately if you have received this document by mistake, then destroy this document. Please direct all verification or notification to AcariaHealth or any of its subsidiaries using the contact information provided on this coversheet.